

DUNSTABLE
Cancer Incidence by Sex, 1993 - 1997
Expected and Observed Case Counts, with Standardized Incidence Ratios

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
<u>Bladder, Urinary</u>				<u>Melanoma of Skin</u>			
Male	1.04	0	NC*	Male	0.82	1	NC*
Female	0.34	0	NC*	Female	0.64	0	NC*
Total	1.38	0	NC*	Total	1.46	1	NC*
<u>Brain and Other Central Nervous System</u>				<u>Multiple Myeloma</u>			
Male	0.48	2	NC*	Male	0.21	0	NC*
Female	0.37	1	NC*	Female	0.17	0	NC*
Total	0.86	3	NC*	Total	0.39	0	NC*
<u>Breast</u>				<u>Non-Hodgkin's Lymphoma</u>			
Male	0.08	0	NC*	Male	1.06	1	NC*
Female	7.65	5	65	Female	0.75	0	NC*
Total	7.73	5	65	Total	1.81	1	NC*
<u>Cervix Uteri</u>				<u>Oral Cavity and Pharynx</u>			
Female	0.59	0	NC*	Male	0.94	2	NC*
				Female	0.36	0	NC*
				Total	1.30	2	NC*
<u>Colon / Rectum</u>				<u>Ovary</u>			
Male	2.68	2	NC*	Female	0.96	2	NC*
Female	2.13	3	NC*				
Total	4.80	5	104				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.46	0	NC*	Male	0.45	1	NC*
Female	0.11	0	NC*	Female	0.37	0	NC*
Total	0.56	0	NC*	Total	0.82	1	NC*
<u>Hodgkin's Disease</u>				<u>Prostate</u>			
Male	0.26	0	NC*	Male	6.73	8	119
Female	0.20	0	NC*				
Total	0.46	0	NC*				
<u>Kidney and Renal Pelvis</u>				<u>Stomach</u>			
Male	0.77	0	NC*	Male	0.48	0	NC*
Female	0.39	0	NC*	Female	0.23	0	NC*
Total	1.17	0	NC*	Total	0.71	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.48	0	NC*	Male	0.38	1	NC*

Female	0.12	0	NC*				
Total	0.60	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.56	0	NC*	Male	0.20	0	NC*
Female	0.38	0	NC*	Female	0.50	0	NC*
Total	0.95	0	NC*	Total	0.69	0	NC*
<u>Liver and Intrahepatic Bile Ducts</u>				<u>Uteri, Corpus and Uterus, NOS</u>			
Male	0.25	0	NC*				
Female	0.08	0	NC*	Female	1.44	2	NC*
Total	0.33	0	NC*				
<u>Lung and Bronchus</u>				<u>All Sites / Types</u>			
Male	3.75	1	NC*	Male	23.79	23	97
Female	2.64	2	NC*	Female	21.85	15	69
Total	6.39	3	NC*	Total	45.64	38	83

Exp = expected case count, based on the Massachusetts average age-specific incidence rates for this cancer

Obs = observed case count

SIR = standardized incidence ratio [(**Obs** / **Exp**) X 100]

* = **SIR** and statistical significance not calculated when **Obs** < 5

+ indicates number of observed cases is statistically significantly higher than the expected number of cases

- indicates number of observed cases is statistically significantly lower than the expected number of cases

indicates statistical significance at the $p \leq 0.05$ level

~ indicates statistical significance at the $p \leq 0.01$ level, as well as at the $p \leq 0.05$ level

^ indicates statistical significance at the $p \leq 0.001$ level, as well as at the $p \leq 0.05$ and $p \leq 0.01$ levels